Saskatchewan Agriculture and Food

Crop Report

Published by Saskatchewan Agriculture and Food
ISSN 0701 7065

Report Number 10, June 11, 2007

Crop Report for June 10, 2007

Seeding of the 2007 crop is now 96 per cent complete, according to Saskatchewan Agriculture and Food's weekly crop report.

The west central region continues to be furthest advanced at 99 per cent complete, and the northeast region continues to be furthest behind at 84 per cent complete. A number of rural municipalities in the north eastern and east central areas of Saskatchewan reported 75 per cent or less of their crop has been seeded. Some producers in these areas have stopped seeding, and will have more summerfallow acres than originally planned.

Across the province, spring cereal development was rated normal by 67 per cent of reporters, while 30 per cent rated development as being behind. Oilseed development was rated normal by 59 per cent of reporters, while 39 per cent of reporters rated development as being behind. Pulse crop development was rated normal by 76 per cent of reporters, while 19 per cent rated development as being behind normal. Seventy-six per cent of reporters rate fall cereal development normal, while 16 per cent rated development as behind normal.

Approximately 80 per cent of all crops were rated in good to excellent condition, with the exception of canola, which rated at 76 per cent, and sunflowers, which rated at 63 per cent in good to excellent condition.

Flooding and gophers caused the most crop damage during the past week. Other sources included frost, wind, drought, hail, insects (flea beetles, cut worms), and disease (root rot, tan spot, ascochytha blight). Spraying for weed control is underway as weather conditions allow.

Saskatchewan Crop Conditions, June 10, 2007

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	24	32	20	31	16	21	28
% good	61	53	66	62	68	68	65
% fair	14	13	13	6	14	10	3
% poor	1	2	1	1	2	1	4
% very poor	0	0	0	0		0	0

	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	19	14	20	16	28	24	26	27
% good	63	62	65	47	65	67	65	62
% fair	15	21	13	32	7	8	8	10
% poor	3	3	2	5	0	1	1	1
% very poor	0	0	0	0	0	0	0	0

For further information contact:
Terry Bedard, P.Ag.
Agricultural Economist
Policy Branch
Saskatchewan Agriculture and Food
306-787-5956
e-mail: policybranch@agr.gov.sk.ca

Available on the SAF Internet site at: www.agr.gov.sk.ca

Please let us know if you no longer need to receive a printed copy.

CD	Jun 10/07	Jun 11/06
1a	97	98
1b	95	94
2a	95	98
2b	99	99
3an	98	99
3ase	97	99
3asw	97	98
3bn	98	99
3bs	99	99
4a	99	100
4b	99	99
5a	96	87
5b	89	72
6a	98	98
6b	98	98
7a	99	99
7b	99	98
8a	75	65
8b	89	92
9ae	95	91
9aw	98	96
9b	97	97
Prov.	96	93

1 Year Ago

Provincial seeding progress was reported as 93 per cent complete, ranging from 99 per cent complete in the southwest to 81 per cent in the northeast.

Seeding and spraying operations were slowed due to rainy weather.

Flooding was the main source of crop damage.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

CANADA ~ SASKATCHEWAN
Crop Insurance

SK Crop Development
June 10, 2007

	per cent		
	Ahead	Normal	Behind
Fall Cereals	8	76	16
Spring Cereals	3	67	30
Oilseeds	2	59	39
Pulse Crops	5	76	19

SE SK Crop Development
June 10, 2007

	per cent		
	Ahead	Normal	Behind
Fall Cereals	19	70	11
Spring Cereals	7	72	21
Oilseeds	7	64	29
Pulse Crops	10	77	13

South eastern Saskatchewan (Crop Districts 1, 2, & 3ase)

The past week saw some cool temperatures and showers in the southeast with precipitation amounts averaging 19 mm across the region. Rainfall amounts ranged from an average low of 8 mm in Crop District (CD) 2b to an average high of 38 mm reported in CD 2a. Over 50 mm was reported in the Kennedy and Weyburn areas. Crop damage from flooding was reported in CDs 1b, 2a, and 3ase. Wind damage was reported in the Gainsborough and Stoughton areas. Dry conditions caused crop damage in the Benson area.

Seeding progress is reported as 97% complete across the southeast. Seeding ranges from 95% complete in CDs 1b and 2a, to 99% complete in CD 2b. There are acres in CD 1b that will not be seeded because it is too wet and getting late.

Crop reporters indicate that 87% of the crop land has adequate topsoil moisture, compared to 90% last week. Slightly more crop land is in a surplus topsoil moisture situation and the amount of land in a short topsoil moisture condition increased by a few percentage points. For hay and pasture land, reporters indicate that 89% is in adequate topsoil moisture condition, compared to 95% last week.

Crop development is generally rated as normal by south eastern reporters. Spring cereals and oilseeds tend to be behind more so than fall cereals and pulses. Warm weather would improve crop condition. Several farmers in CD 2b are re-seeding frost-damaged canola acreage to barley or oats.

With the exception of sunflowers and triticale, all crops are rated at least 75% in good to excellent condition. Most crops deteriorated slightly from last week.

Flea beetles damaged canola crops in CDs 1, 2b, and 3ase. Some insecticide spraying is underway. Cutworms damaged crops in CD 2b. Disease pressures came from root rot (CD 1a) and tan spot (CDs 1b, 2b, 3ase). Gophers caused crop damage in the Kisbey, Kennedy, Moosomin, Zehner, and Ceylon areas.

The winds and showers delayed weed spraying operations, but that is proceeding when weather conditions permit.

SW SK Crop Development
June 10, 2007

	per cent		
	Ahead	Normal	Behind
Fall Cereals	2	84	14
Spring Cereals	5	78	17
Oilseeds	4	80	16
Pulse Crops	5	81	14

South western Saskatchewan (CDs 3asw, 3an, 3b, & 4)

The southwest was warm with some showers during the past week. An average of 23 mm of precipitation was reported across the region, ranging from an average low of 11 mm in CDs 3an and 3bn to an average high of 46 mm reported in CD 4b. Over 90 mm was reported in the Cadillac area. The storm caused washouts and well as pounding the crops. Some flooding occurred in CDs 3asw, 3an, 3bs, and 4. Hail damage was reported from several locations in CD 3bs. Frost and wind damage were reported in the Tompkins area.

Seeding progress is reported as 98% complete across the southwest. Seeding ranges from 97% complete in CD 3asw, to over 99% complete in CD 4.

Reporters rate 92% of crop land as having adequate topsoil moisture, similar to last week. The area of short topsoil moisture increased by a couple percentage points. For hay and pasture land, topsoil moisture conditions are rated adequate on 90% of the land, also similar to last week. Pastures and hay land are very dry in the Lucky Lake area.

Crop development is generally rated as normal with all crops seeing about 1-digit percentage ahead and teen percentages behind.

Crop reporters rated all crops at least 86% in good to excellent. Winter wheat, fall rye, and mustard improved in condition from last week.

Gophers damaged crops in many areas of the southwest. Some farmers are re-seeding because of the damage, while others have given up trying to keep ahead of the gophers. Hay land is also taking a beating from the gophers. Ascochyta blight on chickpeas was reported in CDs 3asw, 3bs, and 3bn. Tan spot was reported in CD 3bn. Cutworms damaged durum crops in the Maple Creek area.

Farmers are spraying herbicide as weather conditions permit – some for the second time. Farmers are also summerfallowing, chemfallowing, and fertilizing. Some haying has started in the Maple Creek area.

EC SK Crop Development
June 10, 2007

	Ahead	per cent Normal	Behind
Fall Cereals	9	81	10
Spring Cereals	2	52	46
Oilseeds	2	50	48
Pulse Crops	4	69	27

East central Saskatchewan (Crop Districts 5 & 6a)

The east central region was windy and cool last week. An average of 2 mm was reported across the region, ranging from an average low of 1 mm in CD 5a to an average high of 5 mm reported in CD 5b. In the Insinger area, almost 25 mm was reported. Damage from flooding was reported in CD 5b. Frost damage was reported in localized areas across the region. Damage from wind and drought was reported in the Ituna area, and wind damage was reported in the Leroy area.

Seeding progress is reported as 95% complete across the east central region. CD 6a is furthest advanced with 98% seeded, while CD 5b reports an average of 89% seeded. Several RMs in CD 5b are less than 80% complete. Some low land in the Goodeve area is still wet and may not be seeded. As well, some fields in the Preeceville and Elfros areas will not be seeded. Some canola is being re-seeded in the Veregin area due to frost damage.

Topsoil moisture improved in the east central region during the past week. Forty-nine per cent of reporters rated topsoil moisture on crop land as adequate, compared with 37% last week. The balance rated topsoil moisture as surplus. On hay and pasture land, topsoil moisture conditions were rated adequate by 66% of reporters and as surplus by the rest.

Fall cereals are most highly rated as being at average development, while spring cereals and oilseeds are over 45% behind in development. Warm weather would improve crop and hay development.

Crop reporters rated all crops at least 80% good to excellent, with the exception of canola. The following crops improved in condition from last week: spring wheat, durum, oats, barley, flax, canola, lentils, and peas. Some canola stands are looking thin and uneven.

Flea beetles damaged canola crops across the region. Cutworms damaged crops in the Ituna area. Leaf disease on both spring and winter cereal crops was reported in CDs 5a and 6a. Dandelions are a problem in pastures and fields in the Kelliher area. Early-seeded crops rotted in low areas in the Quill Lake region.

Farmers are working on in-crop weed spraying as weather conditions permit. They are also cultivating and harrowing. In the Leroy area, some 2006 crop still remains to be harvested.

WC SK Crop Development
June 10, 2007

	Ahead	per cent Normal	Behind
Fall Cereals	6	91	3
Spring Cereals	1	77	22
Oilseeds	1	77	22
Pulse Crops	3	77	20

West central Saskatchewan (Crop Districts 6b & 7)

The past week started off warm in the west central region and then turned cooler. An average of 7 mm of precipitation was reported, ranging from an average low of 1 mm in CD 6b to an average high of 11 mm reported in CD 7a. Over 25 mm was reported in the Major area.

Frost damage was reported in the Langham, Biggar, and Battleford areas.

Seeding progress is reported as 99% complete across the west central region. All RMs report at least 95% complete.

Topsoil moisture conditions were similar to last week in the west central region. Reporters rated 93% of crop land and 96% of hay and pasture land as having adequate topsoil moisture. The Grandora and Perdue areas are looking for some rain.

Spring crop development is rated as normal by 77% of west central reporters with at least 20% of spring crops rated as being behind in development.

Over 90% of all crops are reported in good to excellent condition, with the exception of fall rye. Winter wheat and durum crops improved in condition from last week.

Flea beetles damaged canola crops in the Tramping Lake and Denzil areas. Some insecticide applications were carried out. Some carryover herbicide damage occurred in the Macklin area.

Farmers are summerfallowing, spraying weeds, rolling pulse crops, and hauling grain. Winds have been hampering spraying.

NE SK Crop Development
June 10, 2007

	Ahead	per cent Normal	Behind
Fall Cereals	0	30	70
Spring Cereals	0	40	60
Oilseeds	0	40	60
Pulse Crops	1	46	53

North eastern Saskatchewan (Crop Districts 8 & 9ae)

Some north eastern reporters found the past week to be probably the best seeding week of the season, though cool temperatures were holding back crop growth. An average of 4 mm of precipitation was reported across the region. All reporters calling received less than 10 mm. Localized areas received flooding damage throughout the region. Some crops are yellowing from the stress of excess moisture.

Seeding progress is reported as 84% complete across the northeast. CD 9ae reports 95% complete, but a lot of farmers have simply stopped seeding and are going with summerfallow instead. Up to 25% summerfallow could be present in that region. Other areas also indicate that some wet fields will not get seeded, and some areas of fields will also be unable to be seeded. Some re-seeding was done on canola and canary seed fields in the Star City and Arborfield areas due to poor emergence.

Topsoil moisture improved in the northeast this past week, as surplus areas dried. Reporters rate topsoil moisture on 68% of crop land as adequate, compared with 36% last week. For hay and pasture land, reporters rate 79% as having adequate topsoil moisture conditions, up from 46% last week.

Crop development is generally behind in the northeast – a combination of cool weather and late seeding.

At least 59% of all crops are in good to excellent condition, with the exception of flax, lentils, and chickpeas. The following crops improved in condition from last week: winter wheat, fall rye, and barley.

Farmers are busy with spraying operations to try to combat the heavy weed growth.

NW SK Crop Development
June 10, 2007

	Ahead	per cent Normal	Behind
Fall Cereals	0	87	13
Spring Cereals	1	75	24
Oilseeds	0	72	28
Pulse Crops	2	75	23

North western Saskatchewan (Crop Districts 9aw & 9b)

The northwest had some wind and cool nights. Showers brought an average of 4 mm of precipitation. Frost damage was reported in several areas in the northwest. Canola seedlings were damaged in the Glaslyn area.

Seeding progress is reported as 98% complete across the northwest. All RMs report at least 90% seeded.

Topsoil moisture was rated as adequate on 94% of the crop land and the hay and pasture land, compared to 89% and 92% respectively the previous week.

Spring crops are at least 70% at normal development and over 20% behind normal development. Fall crops are close to 90% at normal

development. Warm weather will help crop development catch up.

At least 85% of all crops are in good to excellent condition, except fall rye. Winter wheat, barley, flax, and peas improved in condition from last week.

Flea beetles were damaging crops in the Dorintosh area, and some spraying is underway.

Herbicide spraying is underway, though some weather delays were experienced. Some areas have heavy weed growth.

Southeast Saskatchewan Crop Conditions, June 10, 2007

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	29	46	28	39	24	29	33
% good	50	41	59	52	63	58	15
% fair	19	12	9	6	8	9	7
% poor	2	1	4	3	5	4	45
% very poor	0	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	23	19	14	18	32	27	24	40
% good	56	57	62	35	55	63	66	51
% fair	17	20	19	40	12	8	8	7
% poor	4	4	5	7	1	2	2	2
% very poor	0	0	0	0	0	0	0	0

Southwest Saskatchewan Crop Conditions, June 10, 2007

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	28	37	29	31	22	27	29
% good	58	52	65	63	73	68	69
% fair	12	9	6	6	5	4	2
% poor	2	2	0	0	0	1	0
% very poor	0	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	27	32	27	3	22	29	20	23
% good	67	57	58	90	71	66	77	63
% fair	6	10	14	7	7	5	3	13
% poor	0	0	1	0	0	0	0	1
% very poor	0	1	0	0	0	0	0	0

East Central Saskatchewan Crop Conditions, June 10, 2007

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale
% excellent	22	26	11	16	10	16	37
% good	72	62	74	78	76	74	56
% fair	5	12	14	5	13	10	6
% poor	1	0	1	1	1	0	1
% very poor	0	0	0	0	0	0	0

	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	10	9	17	0	15	19	14	31
% good	78	65	72	100	82	71	79	69
% fair	12	23	9	0	3	10	7	0
% poor	0	3	2	0	0	0	0	0
% very poor	0	0	0	0	0	0	0	0

West Central Saskatchewan Crop Conditions, June 10, 2007

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	18	9	25	26	28	31	16	
% good	78	68	72	70	71	68	75	
% fair	4	11	3	4	1	1	9	
% poor	0	12	0	0	0	0	0	
% very poor	0	0	0	0	0	0	0	
	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	27	20	12	90	36	28	46	12
% good	67	71	81	10	62	70	51	87
% fair	6	8	7	0	2	2	3	1
% poor	0	1	0	0	0	0	0	0
% very poor	0	0	0	0	0	0	0	0

Northeast Saskatchewan Crop Conditions, June 10, 2007

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	21	0	9	25	8	7	n/a	
% good	44	59	54	50	52	56		
% fair	35	41	36	25	39	35		
% poor	0	0	1	0	1	2		
% very poor	0	0	0	0	0	0		
	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	0	8	0	n/a	0	8	0	0
% good	36	51	62		47	55	59	45
% fair	52	33	38		50	36	39	55
% poor	12	8	0		3	1	2	0
% very poor	0	0	0		0	0	0	0

Northwest Saskatchewan Crop Conditions, June 10, 2007

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale	
% excellent	4	9	19	0	18	16	0	
% good	92	63	68	100	69	76	100	
% fair	4	28	13	0	13	8	0	
% poor	0	0	0	0	0	0	0	
% very poor	0	0	0	0	0	0	0	
	Flax	Canola	Mustard	Sun-flower	Lentil	Pea	Canary Seed	Chick-pea
% excellent	43	14	n/a	n/a	n/a	22	0	0
% good	57	72				74	100	75
% fair	0	13				3	0	25
% poor	0	1				1	0	0
% very poor	0	0				0	0	0

Weekly Rainfall Summary

(in millimeters)

for the week ending June 9 , 2007

Crop Dist.	Municipality No.	Name	Past Week	Since April 1
1A	1	Argyle	5	104
	2	Mount Pleasant	8	144
	3	Enniskillen	4	120
	33 A	Moose Creek	8	130
	33 B	Moose Creek	4	125
	34	Browning	5	131
	35	Benson	6	138
	63 A	Moose Mountain	22	123*
	64	Brock	11	151
	65	Tecumseh	27	130
1B	91	Maryfield	20	103
	92 B	Walpole	28	151
	93	Wawken	30	163
	94	Hazelwood	52	196
	95	Golden West	27	141
	121	Moosomin	24	181
	122	Martin	25	171
	123	Silverwood	22	139
	124	Kingsley	22	182
	125	Chester	18	123
	151 A	Rocanville	33	200
	151 B	Rocanville	22	166
	153	Willowdale	26	166
	154	Elcapo	12	168
	155	Wolseley	7	132
2A	36	Cymri	14	173
	67	Weyburn	61	172
	68	Brokenshell	55	172
	96	Fillmore	30	140
	97	Wellington	20	114
	99	Caledonia	40	188
2B	126	Montmartre	10	116
	127	Francis	10	123
	128	Lajord	10	86
	131	Baildon	22	131
	156 B	Indian Head	4	116
	157	South Qu'appelle	TR	114
	158	Edenwold	4	99
	160	Pense	3	87
	161	Moose Jaw	14	120
	191	Marquis	2	96
3ASE	9	Surprise Valley	24	208
	38 A	Laurier	40	175
	38 B	Laurier	40	169
	39 A	The Gap	17	129
	39 B	The Gap	10	160
3ASW	10	Happy Valley	14	227
	12	Poplar Valley	14	139
	40	Bengough	13	197
	43 A	Old Post	14	151
	44	Waverley	27	126
	70	Key West	21	153
	71 A	Excel	11	184
	71 C	Excel	13	132
	73 A	Stonehenge	21	118
	73 B	Stonehenge	26	147
3AN	101 B	Terrell	23	144
	102	Lake Johnston	20	122
	103	Sutton	18	178
	132	Hillsborough	3	100
	134	Shamrock	12	141
	193	Eyebrow	2	118
	194	Enfield	2	95
3BS	17 A	Val Marie	92	190
	17 B	Val Marie	24	124
	45	Mankota	15	124
	75 A	Pinto Creek	13	102
	75 B	Pinto Creek	15	108
	76 A	Auvergne	11	94
	77	Wise Creek	89	188
	78 A	Grassy Creek	27	161
	78 B	Grassy Creek	23	143
	78 C	Grassy Creek	40	165
	105	Glenbain	40	183
	106	Whiska Creek	15	120
	107	Lac Pelletier	47	96
	108	Bone Creek	7	94
3BN	136	Coulee	11	79*
	138	Webb	28	105
	165	Morse	5	20*
	166	Excelsior	5	50
	167	Sask. Landing	4	88
	225	Canaan	TR	65
	228 A	Lacadena	4	96
	228 B	Lacadena	23	99
	257	Monet	16	87
4A	49 A	White Valley	7	102
	49 B	White Valley	30	149
	51	Reno	20	119
	79	Arlington	18	140
	109 A	Carmichael	25	117
	109 B	Carmichael	25	137
	110	Piapot	30	118
	111 A	Maple Creek	18	88
	111 B	Maple Creek	25	111
4B	139	Gull Lake	36	100
	141	Big Stick	34	118
	142	Enterprise	52	142
	230	Clinworth	38	38*
	231	Happyland	70	135
	232	Deer Forks	49	106
5A	183	Fertile Belt	4	120
	185	Mcleod	2	112
	186	Abernethy	NIL	93
	211	Churchbridge	2	101
	213	Saltcoats	2	97
	216 A	Tullymet	NIL	95
	216 B	Tullymet	NIL	72*
	241	Calder	NIL	77
	243	Wallace	NIL	120
	245 A	Garry	1	123
	245 B	Garry	TR	92
	246	Ituna Bon Accord	2	108
	247	Kellross	3	112
	248	Touchwood	NIL	61
5B	271	Cote	TR	80
	275 A	Insinger	23	122
	276	Foam Lake	11	137
	277	Emerald	2	86
	304	Buchanan	1	133
	307	Elfros	13	134
	308	Big Quill	2	84
	335	Hazel Dell	NIL	142
	337	Lakeview	NIL	89
	338	Lakeside	NIL	75
	366 B	Kelvington	TR	90
	367 A	Ponass Lake	4	97
6A	189	Lumsden	7	120
	190 A	Dufferin	TR	68
	190 B	Dufferin	3	75
	190 C	Dufferin	3	80
	219 B	Longlaketon	1	86
	219 C	Longlaketon	NIL	67
	220	Mckillop	NIL	68
	221	Sarnia	4	95
	222	Craik	5	97
	251	Big Arm	NIL	90
	252	Arm River	2	76
	279 A	Mount Hope	NIL	59
	279 B	Mount Hope	NIL	83
	280	Wreford	NIL	60
	282	Mccraney	2	59
	309	Prairie Rose	2	90
	312	Morris	NIL	44
	339 B	Leroy	3	73
	340 A	Wolverine	NIL	69
	341	Viscount	NIL	46
	343	Blucher	NIL	50
6B	254	Loreburn	TR	54
	283	Rosedale	4	58
	284	Rudy	1	72
	285	Fertile Valley	2	76
	286	Milden	10	91
	314	Dundurn	TR	78
	344	Corman Park	NIL	64
	345	Vanscoy	NIL	66
	346	Perdue	NIL	71
	376 A	Eagle Creek	TR	77
	376 B	Eagle Creek	NIL	58
	403	Rosthern	NIL	46
	404	Laird	NIL	38
7A	287	St. Andrews	7	67
	288	Pleasant Valley	11	83
	292	Milton	23	88
	317 B	Marriott	NIL	45
	318 A	Mountain View	10	63
	318 B	Mountain View	2	62
	320	Oakdale	18	111
	321	Prairiedale	21	124
7B	347 A	Biggar	NIL	60
	347 B	Biggar	2	60
	350 A	Mariposa	9	106
	350 B	Mariposa	11	90
	352	Heart's Hill	28	88
	377	Glenside	6	77
	378 A	Rosemount	5	71
	378 B	Rosemount	3	56
	379	Reford	7	70
	380	Tramping Lake	6	91
	381	Grass Lake	21	86
	382	Eye Hill	18	97
	409	Buffalo	6	78
	410	Round Valley	5	69
	411	Senlac	11	59
8A	397	Barrier Valley	6	101
	398	Pleasantdale	3	125
	428	Star City	9	93
	456	Arborfield	6	113
	457	Connaught	2	125
	486	Moose Range	TR	81
	487	Nipawin	3	88
8B	370	Humboldt	NIL	59
	371	Bayne	NIL	59
	399	Lake Lenore	1	79
	400	Three Lakes	NIL	76*
	402	Fish Creek	NIL	55
	429 B	Flett's Springs	9	100
	430 A	Invergordon	7	82
	431	St. Louis	8	55
9AE	488	Torch River	3	102
9AW	406	Mayfield	2	60
	435	Redberry	10	73
	436	Douglas	2	52
	463	Duck Lake	5	59
	464	Leask	4	67
	467	Round Hill	2	61
	493	Shellbrook	5	110
	494	Canwood	3	59
	496	Spiritwood	3	84
9B	442	Manitou Lake	8	73
	468	Meota	4	55
	498 A	Parkdale	3	75
	498 B	Parkdale	3	54
	499	Mervin	7	80
	501 B	Frenchman Butte	9	75
	501 C	Frenchman Butte	2	88
	502	Britannia	13	98
	588 B	Meadow Lake	NIL	60
	588 C	Meadow Lake	TR	58
	588 D	Meadow Lake	3	70

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

* incomplete

Municipality No: A, B, C, and D - more than one reporter

Cumulative Rainfall
From: April 1, 2007
To: June 9, 2007



Crop Districts
and
Rural Municipalities